according to Regulation (EC) No 1907/2006



## Koru Film Developer (READY FOR USE / 1+2)

SUBID: 000001010618

5,0

1,0 -

Version 1 Print Date 27.03.2009

Revision Date 26.03.2009

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

## Identification of the substance/preparation

Product name : Koru Film Developer (READY FOR USE / 1+2)

Use of the : Photographic developer solution

Substance/Preparation

## Company/Undertaking Identification

Agfa-Gevaert NV Septestraat 27 2640 Mortsel Belgium

Tel.: +32 3 4445501 Fax: +32 3 4445503

Person responsible for the safety data sheet: Eddy Michiels

E-mail: info@Koru-graphics.com

Emergency telephone number: +32 3 4443333 (24h/24h)

### 2. HAZARDS IDENTIFICATION

### **EC-classification:**

Symbol(s) : Xn Harmful

R-phrase(s) : R40 Limited evidence of a carcinogenic effect.

R43 May cause sensitization by skin contact.
R68 Possible risk of irreversible effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 15. Full text of each relevant R-phrase is listed in section 16.

Aqueous photographic developer solution, mainly consisting of:

## **Hazardous components**

• Potassium carbonate Concentration [%]: 1,0 - 5,0

CAS-No. : 584-08-7 EINECS-No. : 209-529-3 Symbol(s) : Xi R-phrase(s) : R36/38

• Hydroquinone Concentration [%]: 1,0 - 5,0

CAS-No. : 123-31-9 Index-No. : 604-005-00-4 EINECS-No. : 204-617-8 Symbol(s) : Xn, N

R-phrase(s) : R22, R40, R41, R43, R50, R68

• Diethylene glycol Concentration [%]:

CAS-No. : 111-46-6 Index-No. : 603-140-00-6 EINECS-No. : 203-872-2 Symbol(s) : Xn

AT 1/6 EN

according to Regulation (EC) No 1907/2006



## Koru Film Developer (READY FOR USE / 1+2)

SUBID: 000001010618

Version 1 Print Date 27.03.2009

Revision Date 26.03.2009

R-phrase(s) : R22

#### 4. FIRST AID MEASURES

Eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

Skin contact : Wash immediately with plenty of water and soap. If symptoms

persist, seek medical advice.

Ingestion : Rinse mouth with plenty of water. Seek medical advice.
Inhalation : Take person to fresh air. If necessary, seek medical advice.

#### 5. FIRE-FIGHTING MEASURES

Further information : Product is not combustible.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : See section : Exposure controls / personel protection.

Environmental precautions : For waste disposal see section 13.

Methods for cleaning up : Dike the spill if necessary. Soak up with absorbent material.

Collect large spills into a properly labelled and sealable

container. Prevent release into the drain, soil or surface water.

Additional advice : Wash away residues with plenty of water.

## 7. HANDLING AND STORAGE

## Handling

Advice on protection against

fire and explosion

: No special protective measures against fire and explosion

required.

## **Storage**

Requirements for storage areas and containers

Advice on common storage

: Keep container tightly closed. Protect from direct sunlight.

: Store away from strong acids and strong oxidizing agents (e.g.

sodium hypochlorite).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Exposure Limit Values**

| Components        | CAS-No.  | Values                | Туре               | Revision<br>Date   | Basis                |
|-------------------|----------|-----------------------|--------------------|--------------------|----------------------|
| Hydroquinone      | 123-31-9 | 2 mg/m3<br>4 mg/m3    | MAK<br>MAK<br>CEIL | 03 2007<br>03 2007 | MAK (AT)<br>MAK (AT) |
| Diethylene glycol | 111-46-6 | 44 mg/m3<br>176 mg/m3 | MAK<br>MAK<br>STEL | 07 2001<br>07 2001 | MAK (AT)<br>MAK (AT) |

AT 2/6 EN

according to Regulation (EC) No 1907/2006



## Koru Film Developer (READY FOR USE / 1+2)

SUBID: 000001010618

Version 1 Print Date 27.03.2009

Revision Date 26.03.2009

**Exposure controls** 

Engineering measures : Ventilation should be sufficient so that any applicable

occupational exposure limits are not exceeded.

Hygiene measures : Observe normal precautions when handling chemicals. Avoid

inhaling vapour. Keep away from foodstuffs, drinks and

tobacco.

Hand protection : Use chemical resistant gloves. In case of prolonged immersion

or frequently repeated contact use gloves made of the materials: butyl rubber (thickness >= 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness >= 0.38 mm, breakthrough time > 480 min) or neoprene (thickness >= 0.65 mm, breakthrough time > 240 min). For intermittent splash

protection corresponding gloves with breakthrough times > 60

min can be used. Avoid gloves made of: natural latex.

Eye protection : Safety glasses.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## **General Information**

Form : Liquid.
Colour : Yellowish
Odour : Odourless.

### Important Health Safety and Environmental Information

Vapour pressure (20 °C) : 23,00 hPa Relative density (20 °C) : 1,097

Solubility/qualitative : Miscible with water at all ratios.

pH (25 °C) : 10,5 Melting point/range : < 0 °C Boiling point/range : > 100 °C

## 10. STABILITY AND REACTIVITY

Stability : The product is stable under normal conditions of storage and

use.

Conditions and materials to

avoid

: Avoid contact with strong acids and strong oxidizing agents (e.g. sodiumhypochlorite). Remove all chemicals and rinse the

processing tanks thoroughly with water before using any

cleansing products.

Hazardous decomposition

products

: None

## 11. TOXICOLOGICAL INFORMATION

Limited evidence of a carcinogenic effect.

May cause sensitization by skin contact.

Possible risk of irreversible effects.

Toxicity data specific for individual ingredients in their pure state:

## Acute oral toxicity

AT 3/6 EN

according to Regulation (EC) No 1907/2006



## Koru Film Developer (READY FOR USE / 1+2)

SUBID: 000001010618

Version 1 Print Date 27.03.2009

Revision Date 26.03.2009

Potassium carbonate : LD50 rat > 2.000 mg/kg
 Hydroquinone : LD50 rat 320 mg/kg
 Diethylene glycol : LD50 rat 12.565 mg/kg

Acute dermal toxicity

Hydroquinone : LD50 cat 5.970 mg/kg
Diethylene glycol : LD50 rabbit 11.890 mg/kg

### Other information

There is insufficient scientific evidence for classifying hydroquinone as a suspected carcino- or mutagenic substance in humans. Epidemiologic studies over a period of 48 years, wherin -during manufacturing and use of hydroquinone- more than 800 human individuals were daily exposed at significant airborne concentrations (greater than the occupational threshold of 2 mg/m³), demonstrated that such exposure is not associated with the induction of cancer in humans. Hazard labelling of this preparation or substance : see section 15.

## 12. ECOLOGICAL INFORMATION

## Elimination information (persistence and degradability)

## **Biodegradation**

Hydroquinone : OECD 301D Assessment of biological degradability

> 80 % after 28 d

## **Ecotoxicity effects**

Ecotoxicity data specific for individual ingredients in their pure state:

Toxicity to fish

• Potassium carbonate : Species: Pimephales promelas (fathead minnow)

LC50: > 100 mg/l/ 96 h

• Hydroquinone : Species: Brachidanio rerio (zebra fish)

LC50: 0,11 to 0,64 mg/l/ 96 h

• Diethylene glycol : Species: Lepomis macrochirus (bluegill sunfish)

LC50: > 1.000 mg/l/ 96 h

Toxicity to daphnia

• Potassium carbonate : Species: Daphnia magna (water flea)

EC50: 100 mg/l/ 48 h

• Hydroquinone : Species: Daphnia magna (water flea)

EC50: 0,3 mg/l/ 48 h

• Diethylene glycol : Species: Daphnia magna (water flea)

EC50: > 1.000 mg/l/ 24 h

Toxicity to algae

• Hydroquinone : Species: Selenastrum capricornutum (algae)

EC50: 0,3 mg/l/ 72 h

• Diethylene glycol : Species: Scenedesmus quadricauda (algae)

EC0: 2.700 mg/l/ 7 d

Toxicity to bacteria

• Diethylene glycol : Species: Pseudomonas putida (bacteria)

EC10: 8.000 mg/l/ 72 h

AT 4/6 EN

according to Regulation (EC) No 1907/2006



## Koru Film Developer (READY FOR USE / 1+2)

**SUBID**: 000001010618

Print Date 27.03.2009

Version 1

Revision Date 26.03.2009

#### 13. DISPOSAL CONSIDERATIONS

### Waste disposal methods

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. When this product or its contaminated packaging has to be removed as waste, contact an authorized waste contractor. May be discharged to drain if local regulations permit.

For waste resulting from this product, it is recommended to use European Waste Code: 09 01 01 (water-based developer and activator solutions).

### 14. TRANSPORT INFORMATION

Not dangerous cargo. Keep separated from food- and drinkstuffs.

#### 15. REGULATORY INFORMATION

## Labelling according to EC Directives

Hazardous components which must be listed on the label:

• CAS-No. : 123-31-9 Hydroquinone

Symbol(s) : Xn Harmful

R-phrase(s) : R40 Limited evidence of a carcinogenic effect.

R43 May cause sensitization by skin contact.

R68 Possible risk of irreversible effects.

S-phrase(s) : S36/37/39 Wear suitable protective clothing, gloves and eye/face

protection.

### **16. OTHER INFORMATION**

## **Further information**

Text of R-phrases referred to under headings 2 and 3:

R22 Harmful if swallowed. R36/38 Irritating to eyes and skin.

R40 Limited evidence of a carcinogenic effect.

R41 Risk of serious damage to eyes.

R43 May cause sensitization by skin contact.

R50 Very toxic to aquatic organisms.
R68 Possible risk of irreversible effects.

This Safety Data Sheet is compiled in accordance with European Directives and corresponding national legislation.

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety

according to Regulation (EC) No 1907/2006



# Koru Film Developer (READY FOR USE / 1+2)

SUBID: 000001010618

Version 1 Print Date 27.03.2009
Revision Date 26.03.2009

information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.